



QLB60 Mobile Asphalt Batching Plant

QLB60 mobile asphalt batching plant comes with product temperature of 120°C-165°C, feeder hopper capacity of 2×1m³, aggregate size of less than 50mm, aggregate bin of 3×5m³, which adopts towing chassis for easy transport and installation.

Main Technical Specification	
Capacity	60ton/h
Fuel consumption	5.5-7.5kg/t
Dryer revolution	12 rev/m
Mixer power	15kW×2
Aggregate elevator power	7.5kW×2
Powder supply system power	3kW
Feeder hopper capacity	1m ³ ×2
Concrete output	1m ³
Aggregate size	≤50mm
Aggregate Bins	3×5m ³ each, accumulative scale
Accuracy	
---Aggregate	≤2000kg±3%
---Fly ash	≤180kg±2%
---Bitumen	≤180kg±2%
Product temperature	120~165 °C, adjustable
Total consumption	157 kW (Oil burner)
Mill Power	30kW×2 (Coal burner)
Coal Requirement	
---Volatile Percentage	≥25%
---Low heat value	≥6500kcal/kg
---Melting point	1500°C
---Moisture	≤3%

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

---Powder percentage	≤12%
---Diameter	≥100mesh
Configuration Table	
Aggregate Dosage	
Aggregate hopper	3units
Opeing device	6units
Weighing hopper	1unit
Sensor	3units
Solenoid valve	3units
Cylinder	3units
Framework	1set
Electric roller	1unit
Collecting belt	1set
Tension device	1set
Roller	1set
Cleaner	1set
Feeding Belt	
Electric roller	1unit
Belt	1unit
Roller	1set
Tension device	1set
Separate device	1unit
Cleaner	1unit
Burner	
Burner	2units
Blower	2units
Blower motor	2units
Main oil pump	2sets
Triangle belt	2units
High pressure oil pump	2sets
Fire-resistant brick	2sets
Electronic ignition system	2units
Dryer	
Drying drum(2100mm)	2units
Big gear loop	2units
Decelerate case	2units
Motor	2units
Triangle belt	8units
Seal loop	8units
Aggregate Elevator System	
Trail and skip	2sets
Feeder bucket device	2units
Reducer	2units

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

Limit switch	6units
Fly Ash Scale	
Weighing hopper	1unit
Screw conveyor	1unit
Reducer	1unit
Sensor	1unit

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572